


Product No: LKS111-C6AS Ver. 04/23 Product Specification.



DESCRIPTION

This series keystone jacks work together with high speed cables, cords and panels to provide performance beyond proposed Category 6A standards, a new feature of this series jack is a universal colored wiring label that eliminates the need for separate codes for T568A/B wiring scheme.

APPLICATION

- Available in Cat6A, T568A/B wiring, meet or exceed TIA/EIA Cat6A requirements
- Overall zinc alloy shielding design meets the industry standards
- Compact jack design, 8 positions and 8 conductors
- Contact : phosphor bronze , phosphor bronze with 15 μ ",30 μ " or 50 μ " gold plate can be selected
- Accept 23-24 AWG wires
- Easy to be terminated, low attenuation loss and high return loss
- High reliability and superior performance
- With backward compatibility of CAT 6 and lower classes


Ningbo Doppler Communication Co., Ltd.

No. 19, 3rd Binhai Road, Hangzhou Bay New Zone, Ningbo City, Zhejiang Province, CHINA.



Product No: LKS111-C6AS Ver. 04/23 Product Specification.

PRODUCT DIMENSION



CONSTRUCTION

Description	Parameter	
Contact resistance(max)	20mΩ	
Insulation resistance(min)	500ΜΩ	
Return loss(dB)	5.9dB	


Ningbo Doppler Communication Co., Ltd.

No. 19, 3rd Binhai Road, Hangzhou Bay New Zone, Ningbo City, Zhejiang Province, CHINA.



Product No: LKS111-C6AS Ver. 04/23 Product Specification.

PERFORMANCE



ORDER INFORMATION

Part No.	Decription	Color	Inner	Carton	Carton measurement	Weight
			Box		(L*W*H)	
LKS111-	Cat6A shielded keystone jacks	Silver	25PCS	250PCS	53cm× 31cm × 23cm	9.0KG
C6AS	(90 degree)					

Ningbo Doppler Communication Co., Ltd.

No. 19, 3rd Binhai Road, Hangzhou Bay New Zone, Ningbo City, Zhejiang Province, CHINA.