# Cat5E FTP keystone jacks



Product No: LKS129-C5ES Ver. 02/18 Product Specification.







## **DESCRIPTION**

This series keystone jacks exceeds the performance requirements of Category 5E standards and is compatible with the 100M Ethernet application system. It is suitable for communication sockets between devices and work areas, and can provide up to 250MHz of available bandwidth.

### **APPLICATION**


- Available in Cat6A, T568A/B wiring, meet or exceed TIA/EIA Cat6A requirements
- Unique PCB circuit board line balance design, low attenuation loss and high return loss
- Overall zinc alloy shielding design meets the industry standards
- With T568A and T568B two common line sequences, the universal line sequence label is clearly marked on the module
- Solid and corrosion phosphor bronze IDC enables over 250 terminations
- Accept 23 AWG wires
- Up to 50μ" gold-plated layer with contact pin contact material for 1500 insertions
- Termination caps prevent wire from dropping off, with backward compatibility of CAT
   5E and lower classes

Ningbo Doppler Communication Co., Ltd.
No.86 Fengyi Road, Economic Development Zone, Yuyao Zhejiang 315400



Product No: LKS129-C5ES Ver. 02/18 Product Specification.

# **PRODUCT DIMENSION**



## **CONSTRUCTION**


Description	Parameter
Contact resistance(max)	100mΩ
Insulation resistance(min)	500ΜΩ
Return loss(dB)	6.0dB

Ningbo Doppler Communication Co., Ltd.
No.86 Fengyi Road, Economic Development Zone, Yuyao Zhejiang 315400



Product No: LKS129-C5ES Ver. 02/18 Product Specification.

### **PERFORMANCE**



### **ORDERINFORMATION**

Part No.	Decription	Color	Inner Box	Carton	Carton measurement (L*W*H)	Weight
LKS129-	CAT5E shielded keystone jacks	Silver	25PCS	250PCS	53cm× 31cm × 23cm	9.20KG
C5ES	(180 degree)					

Ningbo Doppler Communication Co., Ltd.
No.86 Fengyi Road, Economic Development Zone, Yuyao Zhejiang 315400