



DESCRIPTION

CAT5E FTP 24 port patch panel, modular tool free type, surpassed all CAT5E performance requirements, providing up to 100MHz available bandwidth, suitable for horizontal cabling, network equipment and consolidation point.

APPLICATION


- Unique exterior design, simple, compact and beautiful
- High strength die-casted zinc alloy Shielding design meets the industry shielding standards
- Comply with ergonomic principle and with termination-free design
- Solid and corrosion phosphor bronze IDC enables over 250 terminations
- Unique PCB circuit board design reduces EMI/RFI interference, low attenuation loss and high return loss
- Easy installation, low cost, easy operation
- Be compatible with 19-inch equipment racks, cabinets and wall mount shelf
- All ports are clearly labeled, especially the large in the front are helpful for ports identification
- phosphor bronze contact with 15 μ , 30 μ , 50 μ gold plate can choose , durability is over 1000 matching recycles
- With cable management in the rear for effective guidance of cables and termination points

Ningbo Doppler Communication Co., Ltd.

NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO, ZHEJIANG PROVINCE, CHINA. 315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice

PRODUCT DIMENSION



CONSTRUCTION


<i>Description</i>	<i>Parameter</i>
Contact resistance(max)	20mΩ
Insulation resistance(min)	500MΩ
Return loss(dB)	5.8dB

Ningbo Doppler Communication Co., Ltd.





NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO,ZHEJIANG PROVINCE,CHINA.315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice

PRODUCT PERFORMANCE



Length (m), Limit 90.0	[Pair 78]	76.5
Prop. Delay (ns), Limit 498	[Pair 36]	376
Delay Skew (ns), Limit 44	[Pair 36]	6
Resistance (ohms)		N/A
Insertion Loss Margin (dB)	[Pair 36]	4.3
Frequency (MHz)	[Pair 36]	100.0
Limit (dB)	[Pair 36]	21.0



ORDER INFORMATION

Part No.	Description	Color	Inner Box	Carton	Carton measurement (L*W*H)	Weight
LPA124-C5ES	CAT5E FTP 24-port patch panel	black	1PCS	10PCS	53cm×31cm×23cm	17.00KG
LPA124-C5EU	CAT5E UTP 24-port patch panel	black	1PCS	10PCS	53cm×31cm×23cm	10.00KG

Ningbo Doppler Communication Co., Ltd.

NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO, ZHEJIANG PROVINCE, CHINA. 315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice