



DESCRIPTION

CAT6 UTP 48-port patch panel, 110&KRONE type, matches and exceeds CAT6 250MHZ connecting hardware specifications, suitable for interaction and termination of horizontal cabling between devices, equipment and centralized points

APPLICATION


- Unique exterior design, simple, compact and beautiful
- 110 & krone punch down tools are available
- High strength PC termination housing and solid and corrosion phosphor bronze IDC enables over 250 terminations
- Unique PCB circuit board design reduces EMI/RFI interference, low attenuation loss and high return loss
- Solid and easy installation design saves installation and operation costs
- Be compatible with 19-inch equipment racks, cabinets and wall mount shelf
- All ports are clearly labeled, especially the large in the front are helpful for ports identification
- Phosphor bronze contact with 15 μ , 30 μ , 50 μ gold plate can choose, durability is over 1000 matching recycles
- With backward compatibility of CAT6 and lower classes

Ningbo Doppler Communication Co., Ltd.

NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO, ZHEJIANG PROVINCE, CHINA. 315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice

PRODUCT DIMENSION



CONSTRUCTION


<i>Description</i>	<i>Parameter</i>
Contact resistance(max)	20mΩ
Insulation resistance(min)	500MΩ
Return loss(dB)	5.8dB

Ningbo Doppler Communication Co., Ltd.





NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO, ZHEJIANG PROVINCE, CHINA. 315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice

PRODUCT PERFORMANCE



Length (m), Limit 90.0	[Pair 78]	76.5
Prop. Delay (ns), Limit 498	[Pair 36]	376
Delay Skew (ns), Limit 44	[Pair 36]	6
Resistance (ohms)		N/A
Insertion Loss Margin (dB)	[Pair 36]	4.3
Frequency (MHz)	[Pair 36]	100.0
Limit (dB)	[Pair 36]	21.0



ORDER INFORMATION

Part No.	Description	Color	Inner Box	Carton	Carton measurement (L*W*H)	Weight
LPD148-C6U	CAT6 UTP 48-port patch panel	Black	1PCS	5PCS	53cm × 31cm × 23cm	16.4KG

Ningbo Doppler Communication Co., Ltd.

NO.19, BINHAISAN ROAD, HANGZHOU BAY NEW ZONE, NINGBO, ZHEJIANG PROVINCE, CHINA. 315336

Ningbo Doppler Communication Co. Ltd. reserves the right to change specifications without prior notice